



Burette (With Glass Cock)

- Material: Hard glass
- Allowable volume error (mL): +/-0.025



Order No	Model No.	Capacity (ml)	Graduation (ml)	Tolerance (ml)
LM-1004-01	16420100A	10	0.05	±0.025
LM-1004-02	16420250A	25	0.1	±0.05
LM-1004-03	16420500A	50	0.1	±0.1

Burette with PTFE Cock

- Material: Body/hard glass, Cock/PTFE (poly tetrafluoroethylene)
- Allowable volume error (mL): +/-0.025
- With PTFE cock



Order No	Model No.	Capacity (ml)	Graduation (ml)	Tolerance (ml)
LM-1004-04	16420100FA	10	0.05	±0.025
LM-1004-05	16420250FA	25	0.1	±0.05
LM-1004-06	16420500FA	50	0.1	±0.1

Burette with Glass Cock

- Material: Body/borosilicate glass 3.3
- Thermal expansion coefficient: $33 \times 10^{-7}/^{\circ}\text{C}$ (20 - 300°C)
- Class: AS(ISO385)
- Allowable volume error (mL): +/- 0.02



Order No	Model No.	Capacity (ml)	Graduation (ml)	Tolerance (ml)
LM-1005-01	10ml	10	0.02	±0.02
LM-1005-02	25ml	25	0.05	±0.03
LM-1005-03	50ml	50	0.1	±0.05
LM-1005-04	100ml	100	0.2	±0.1

Burette with PTFE Cock

- Material: Body/borosilicate glass 3.3
- Thermal expansion coefficient: $33 \times 10^{-7}/^{\circ}\text{C}$ (20 - 300°C)
- Class: AS(ISO385)
- Allowable volume error (mL): +/- 0.02



Order No	Model No.	Capacity (ml)	Graduation (ml)	Tolerance (ml)
LM-1006-01	10ml	10	0.02	±0.02
LM-1006-02	25ml	25	0.05	±0.03
LM-1006-03	50ml	50	0.1	±0.05
LM-1006-04	100ml	100	0.2	±0.1



Auto Burette with Glass Screw Stopcock



- Material: DUROBAX (R) (borosilicate glass - 2)
- Super grade type

Order No	Capacity (ml)	Graduation (ml)	Bottle Capacity (ml)	Type
LM-1007-01	10	0.05	1000	Glass Cock
LM-1007-02	25	0.1	2000	
LM-1007-03	50			
LM-1007-04	10	0.05	1000	PTFE Cock
LM-1007-05	25	0.1	2000	
LM-1007-06	50			

Burette Clamp



- Material: PP (Polypropylene)
- Applicable pipe diameter (mm): $\phi 10 - \phi 14$

Order No	Model No.	Type	Suitable Pipe Dia(mm)
LM-1008-01	139	Single	$\phi 10-14$
LM-1008-02	140	Double	
LM-1008-03	Burette Clamp	Single	$\phi 10-12.5$
LM-1008-04	Burette Clamp	Double	

139

140

Measuring Pipette (Intermediate Scale, Custom A)




- Material: DUROBAX (R) (borosilicate glass - 2)
- One tick marks: 0.001mL
- Volume allowable error: +/- 0.005mL
- *It is produced with JIS R 3505 (1994) class A "allowable volume error".

Order No	Capacity (ml)	Graduation (ml)	Upper O.D (ømm)	Color Code	Tolerance (ml)
LM-1009-01	0.1	0.001	6.25	Green	± 0.0025
LM-1009-02	0.2	0.002		White	
LM-1009-03	0.3			Orange	
LM-1009-04	0.5	0.005	7	Green	± 0.006
LM-1009-05	1	0.01			
LM-1009-06	2	0.02	7.5	Black	± 0.01
LM-1009-07	3			Blue	
LM-1009-08	5	0.05	7	Red	± 0.02
LM-1009-09	10	0.1	8	Orange	± 0.03
LM-1009-10	20		7.5	Yellow	
LM-1009-11	25			White	
LM-1009-12	0.1	0.001	6.25	Green	± 0.005
LM-1009-13	0.2	0.002		White	
LM-1009-14	0.3			Orange	
LM-1009-15	0.5	0.005	7	Green	± 0.01
LM-1009-16	1	0.01			
LM-1009-17	2	0.02	7.5	Black	± 0.015
LM-1009-18	3			Blue	
LM-1009-19	5	0.05	7	Red	± 0.03
LM-1009-20	10	0.1	8	Orange	± 0.05
LM-1009-21	20		7.5	Yellow	
LM-1009-22	25			White	



Intermediate Measuring Pipette Large Hole Type



- Material: Borosilicate glass -1
- JIS R 3505 standard product class B (with mark)
- Accuracy, lot No. written on body
- Correspond test results report
- Volume allowable error: +/- 0.015mL
- One tick marks: 0.01mL

Order No	Capacity (ml)	Graduation (ml)	Tolerance (ml)
LM-1010-01	Large Tip 1	0.01	±0.015
LM-1010-02	Large Tip 2	0.02	±0.02
LM-1010-03	Large Tip 5	0.05	±0.05
LM-1010-04	Large Tip 10	0.1	±0.1
LM-1010-05	Large Tip 20		

Disposable Pipette (Glass)



- Material: Borosilicate glass

Order No	Capacity (ml)	Body O.D x Length (mm)	Tip I.D. (mm)	Upper O.D (mm)	Quantity
LM-1011-01	1	ø7x150	ø2.7	ø7	1box (100pcs)
LM-1011-02	2	ø8x180			ø3
LM-1011-03	3	ø8x230	ø3.4	ø10	1box (100pcs)
LM-1011-04	5	ø10x230			ø10

Violamo Disposable Pipette



- Material: PS (polystyrene)
- γ ray sterilized (individual packaging)
- With cotton plug
- Pyrogen free
- CE acquired

Order No	Capacity (ml)	Quantity
LM-1012-01	1	1box (1pcs/bagx500)
LM-1012-02	2	
LM-1012-03	5	1box (1pcs/bagx200)
LM-1012-04	10	
LM-1012-05	25	1box (1pcs/bagx150)
LM-1012-06	50	1box (1pcs/bagx100)

Borosilicate Glass Disposable Pipette




- Material: Borosilicate glass
- With cotton plug, γ ray sterilized

Order No	Type	Capacity (ml)	Quantity
LM-1013-01	Regular Tip	0.5	1case (125pcs/box x 4)
LM-1013-02		1	1case (200pcs/box x 5)
LM-1013-03		2	1case (125pcs/box x 4)
LM-1013-04		5	1case (100pcs/box x 5)
LM-1013-05		10	
LM-1013-06		10	
LM-1013-07	Short Length	1	1case (200pcs/box x 2)
LM-1013-08		5	1case (100pcs/box x 2)
LM-1013-09		10	
LM-1013-10		25	
LM-1013-11		50	




Volumetric Pipette



- Material: Borosilicate glass -1
- JIS R 3505 standard product class A (with mark)
- Accuracy, lot No. written on body
- Correspond traceability, test results report
- Volume allowable error: +/- 0.005mL

Order No	Capacity (ml)	Color Code	Tolerance (ml)
LM-1014-01	0.1	Blue	±0.005
LM-1014-02	0.2	Red	
LM-1014-03	0.3	Yellow	
LM-1014-04	0.4	2 Red	
LM-1014-05	0.5	2 Black	
LM-1014-06	1	Blue	±0.006
LM-1014-07	1.5	2 Yellow	±0.01
LM-1014-08	2	Orange	±0.006
LM-1014-09	2.5	2 Blue	±0.01
LM-1014-10	3	Black	
LM-1014-11	4	2 Red	
LM-1014-12	5	White	±0.02
LM-1014-13	6	2 Orange	
LM-1014-14	7	2 Green	
LM-1014-15	8	Blue	
LM-1014-16	9	Black	
LM-1014-17	10	Red	±0.03
LM-1014-18	15	Green	
LM-1014-19	20	Yellow	
LM-1014-20	25	Blue	±0.05
LM-1014-21	30	Black	
LM-1014-22	40	White	
LM-1014-23	50	Red	

Whole Pipette



- Material: PP (Polypropylene)
- Allowable error: +/- 1%
- Upper outer diameter: φ6 mm

Order No	Capacity (ml)	Length (mm)
LM-1015-01	5	270
LM-1015-02	10	418
LM-1015-03	20	521
LM-1015-04	50	675

Gerber Butyrometer for Barrel Plug (Order No: LM-1016-01)



- For barrel plug
- JIS R 3505 standard product (without mark)
- Accuracy, lot No. written on body
- Scale part capacity: 1.125mL
- Scale pieces: 90 pieces
- Body diameter: φ24.5mm
- Length: 195mm
- One tick marks: 0.0125mL




Pasteur Pipette



- Material: Borosilicate glass
- Upper outer diameter: ϕ 6.5 - 7.0mm

Order No	Model No.	Length (mm)
LM-1017-01	7095D-5x	40x146
LM-1017-02	7095D-9	115x229

Pasteur Pipette



- Material: Borosilicate glass
- Upper outer diameter: ϕ 6.5mm
- Quantity: 1 case (144 pieces/box x 5 boxes)

Order No	Model No.	Length (mm)	Type
LM-1018-01	13-678-20A	146	No Cotton Plug
LM-1018-02	13-678-20C	229	
LM-1018-03	13-678-8A	146	With Cotton Plug
LM-1018-04	13-678-8B	229	

Pasteur Pipette



- Material: Flint glass
- Tip: 0.80 - 1.2mm
- Upper outer diameter: ϕ 6.5mm
- Capacity: Approximately 2mL

Order No	Model No.	Length (mm)	Type
LM-1019-01	22-230-482	150	No Cotton Plug
LM-1019-02	22-230-490	228	

Measuring Pipette (Easy-View Printed Scale, Hard Glass)



- Material: Borosilicate glass

Order No	Capacity (ml)	Tip O.D (ømm)	Upper O.D (ømm)	Graduation (ml)	Length (mm)
LM-1020-01	1	2.4	7	0.1(0-1)	230
LM-1020-02	2	2.7	8	0.1(0-1), 0.5(1-2)	
LM-1020-03	3	3.5	9	0.1(0-1), 0.5(1-3)	
LM-1020-04	5		10	0.1(0-1), 0.5(1-5)	
LM-1020-05	10	3.7	12	0.1(0-1), 0.5(1-5), 1.0(5-10)	280

Komagome Pipette (LDPE)



- Material: LDPE (low density polyethylene)

Order No	Capacity (ml)	Size (mm)	Upper O.D (ømm)	Quantity
LM-1021-01	1	170	8.2	1 case (10pcs)
LM-1021-02	2	200	9.1	
LM-1021-03	5	230	10	
LM-1021-04	10		10.3	



Droppers



- Material: PE (Polyethylene)
- Quantity: 1 case (1000 pieces)

Order No	Model No.	Capacity (ml)	Length (mm)
LM-1021-01	E-262	2.5	230
LM-1021-02	E-222	1	150
LM-1021-03	E-212		140
LM-1021-04	E-272	2	145
LM-1021-05	E-273	1	85
LM-1021-06	E-281	0.2	70
LM-1021-07	E-282	1	115
LM-1021-08	E-231		105
LM-1021-09	E-242	3.5	85
LM-1021-10	E-241	1	65
LM-1021-11	E-243		50


Poly Dropper (Sterilized)



- Material: LDPE (low density polyethylene)
- EOG sterilized
- Tip diameter: inner diameter ϕ 1.7 mm \times outer diameter ϕ 3.1 mm
- Quantity: 1 box (10 pieces / bag \times 10 bag)

Order No	Model No.	Capacity (ml)	Length (mm)
LM-1023-01	GDS2ML	approx.2	135
LM-1023-02	GDS1ML	approx.1	120


DISPET



- Material: PE (polyethylene)
- With scale

Order No	Model No.	Capacity (ml)	Dimension (A) x (B)mm	Quantity
LM-1024-01	0.5CC	0.5	18x98	1 case (100pcs)
LM-1024-02	1CC	1	21x120	1 case (100pcs)
LM-1024-03	2CC	2	26x142	1 case (100pcs)
LM-1024-04	3CC	3	32x155	1 case (50pcs)
LM-1024-05	5CC	5	38x190	1 case (50pcs)

Chemical Dropper



- Material: LDPE (low density polyethylene)

Order No	Bellows Dia. (ømm)	Capacity (ml)	Length (mm)	Graduations (ml)	Quantity
LM-1025-01	20	1	190	0.5	1 bag (10pcs)
LM-1025-02	23	2	250		1 bag (10pcs)
LM-1025-03	24	3	260		1 bag (10pcs)
LM-1025-04	28	5	270	1	1 bag (10pcs)
LM-1025-05	33	10	280		1 bag (10pcs)
LM-1025-06	38	20	390	1 (5ml)	1 bag (3pcs)
LM-1025-07	56	50	530	2 (10ml)	1 bag (2pcs)

Micro Burette Super Grade Amber



- Material: Borosilicate glass
- Glass type: F
- Specification: Equivalent to JIS R 3505 class A
- Traceability: Available

Order No	Capacity (ml)	Total height (mm)
LM-1004-07	1	813
LM-1004-08	10	833
LM-1004-09	2	893
LM-1004-10	5	1013



Serological Pipette (Plastic Individual Packaging) 5ml (Part no: LM-1010-06)



- Model number: 0030127714
- Capacity (mL): 5
- 1 scale (mL): 0.1
- Upper outer diameter (φmm): 8.2
- Quantity: 1 box ((1 piece/bag x 100) x 4 bags)
- Material: PS (polystyrene)
- DNase, RNase, pyrogen free
- Sterility guarantee level: 10^{-6}
- γ ray sterilized

Serological Pipette (Plastic Individual Packaging) 10mL (Part No: LM-1010-07)



- Model number: 0030127722
- Capacity (mL): 10
- 1 scale (mL): 0.1
- Upper outer diameter (φmm): 7.8
- Quantity: 1 box ((1 piece/bag x 100) x 4 bags)
- Material: PS (polystyrene)
- DNase, RNase, pyrogen free
- Sterility guarantee level: 10^{-6}
- γ ray sterilized

Disposable Plastic Pipette



- Sterilization: γ ray sterilized
- Package: Paper, individual plastic packaging
- All sizes are endotoxin-free, DNA/RNA-free
- Filter type cotton plug that does not exhaust cotton dust is adopted for all types
- Clear polystyrene

Order No	Capacity (ml)	Tip Dia.	Outer Dia. (mm)	Height (mm)
LM-1011-05	1	1.6	5	270
LM-1011-06	2	1.8	6	275
LM-1011-07	5	1.8	8	345

Measuring Pipette


- Product type : Measuring Pipettes
- Material : Borosilicate glass



Order No	Capacity (ml)	Upper Outer Dia. (mm)	Length (mm)	Allowable volume error (ml)
LM-1009-23	0.1	6.8	340	±0.002
LM-1009-24	0.2			±0.004
LM-1009-25	0.5			±0.006
LM-1009-26	1	7.0		±0.008
LM-1009-27	2			±0.012
LM-1009-28	5	7.5		±0.025
LM-1009-29	10		±0.05	
LM-1009-30	15	8.0	400	±0.08
LM-1009-31	20	8.0	460	±0.1
LM-1009-32	25	8.0		
LM-1009-33	50	9.0		



Whole Pipette



- **Product type: Volumetric Pipettes**
- **Material: Soda-lime glass**

Order No	Capacity (ml)	Upper Outer Dia. (mm)	Length (mm)	Color code
LM-1015-05	1	4.25	310	Blue
LM-1015-06	2	5.20	330	Orange
LM-1015-07	3	6.50	360	Black
LM-1015-08	4	6.50	360	Red x2
LM-1015-09	5	6.50	400	White
LM-1015-10	10	7.60	440	Red
LM-1015-11	15	6.20	455	Green
LM-1015-12	20	7.20	510	Yellow
LM-1015-13	25	7.20	520	Blue
LM-1015-14	30	7.20	540	Black
LM-1015-15	40	8.15	550	White
LM-1015-16	50	8.15	540	Red

VWR Safety Pipette CR-15 (Part: LM-1010-08)



- **Model number: 475-102**
- **Body**
- **Conform pipette: 1 - 100mL**
- **Conform pipette outer diameter: ϕ 5 - 8mm**
- **Length: 190mm**

Poly Dropper for Blood Sampling



- **Material : LDPE (low density polyethylene)**

Order No	Capacity (ml)	Tip Inner Dia. X Outer Dia. (ϕ mm)	Length (mm)
LM-1023-03	1	1.5x3.0	120
LM-1023-04	2	1.7x3.1	135
LM-1023-05	5	1.7x2.9	155

Automatic Burette Super Grade Blue Vein with PTFE Cock 10mL (Order No: LM-1007-07)



- **Capacity (mL): 10mL**
- **Total height (mm): 730**
- **Rubber clamp outer diameter ϕ (mm): 8**
- **Material: Borosilicate glass**
- **Glass type: D**
- **Scale: 0.05mL**
- **Allowable error (mL): +/- 0.02mL**
- **Specification: Equivalent to JIS R 3505 class A, Plane connection type**
- **Accessories: Calcium tube, Double balloon rubber spray**
- **Traceability: Available**
- **Quantity: 1 pcs**



Automatic Burette Super Grade Amber with PTFE Cock 10mL (Order No: LM-1007-08)



- Capacity (mL): 10mL
- Total height (mm): 730
- Rubber clamp outer diameter ϕ (mm): 8
- Material: Borosilicate glass
- Glass type: D
- Scale: 0.05mL
- Allowable error (mL): +/- 0.02mL
- Specification: Equivalent to JIS R 3505 class A, Plane connection type
- Accessories: Calcium tube, Double balloon rubber spray
- Traceability: Available

Automatic Burette Super Grade Blue Vein with PTFE Cock 25ml. (Order No: LM-1007-09)



- Capacity (mL): 25mL
- Total height (mm): 925
- Rubber clamp outer diameter ϕ (mm): 8
- Material: Borosilicate glass
- Glass type: D
- Scale: 0.1mL
- Allowable error (mL): +/- 0.03mL
- Specification: Equivalent to JIS R 3505 class A, USP Standards, Plane connection type
- Accessories: Calcium tube, Double balloon rubber spray
- Traceability: Available

Automatic Burette Super Grade Amber with PTFE Cock 25mL (Order No: LM-1007-10)



- Total height (mm): 940
- Rubber clamp outer diameter ϕ (mm): 8
- Bottle capacity: 2000mL
- Material: Borosilicate glass
- Glass type: D
- Scale: 0.1mL
- Allowable error (mL): +/- 0.03mL
- Specification: Equivalent to JIS R 3505 class A, USP Standards, Plane connection type
- Accessories: Bottle, Calcium tube, Double balloon rubber spray
- Traceability: Available
- Capacity (mL): 25mL

Automatic Burette Super Grade Amber with PTFE Cock 25mL (Order No: LM-1007-11)



- Capacity (mL): 25mL
- Total height (mm): 925
- Rubber clamp outer diameter ϕ (mm): 8
- Material: Borosilicate glass
- Glass type: D
- Scale: 0.1mL
- Allowable error (mL): +/- 0.03mL
- Specification: Equivalent to JIS R 3505 class A, USP Standards, Plane connection type
- Accessories: Calcium tube, Double balloon rubber spray
- Traceability: Available



Automatic Burette Super Grade Amber with PTFE Cock 50mL (Order No: LM-1007-12)



- Capacity (mL): 50mL
- Total height (mm): 1100
- Rubber clamp outer diameter ϕ (mm): 8
- Material: Borosilicate glass
- Glass type: D
- Scale: 0.1mL
- Allowable error (mL): +/- 0.05mL
- Specification: Equivalent to JIS R 3505 class A, USP Standards, Plane connection type
- Accessories: Calcium tube, Double balloon rubber spray
- Traceability: Available

Automatic Burette Super Grade Blue Vein with PTFE Cock 50mL (Order No: LM-1007-13)



- Capacity (mL): 50mL
- Total height (mm): 1100
- Rubber clamp outer diameter ϕ (mm): 8
- Material: Borosilicate glass
- Glass type: D
- Scale: 0.1mL
- Allowable error (mL): +/- 0.05mL
- Specification: Equivalent to JIS R 3505 class A, USP Standards, Plane connection type
- Accessories: Calcium tube, Double balloon rubber spray
- Traceability: Available
- Quantity: 1 pcs